

ICE HEALTH SERVICE CORPS

NATIONAL FORMULARY

FY 2017



General Information

Important Information

The IHSC formulary is a listing of medications approved for use in IHSC affiliated facilities. For facilities directly operated by IHSC, a variety of provider restrictions on medication utilization apply.

Brand names are indicated for illustrative purposes. This is not meant to imply an endorsement of any trademarked product. If “A” rated generics are available, their use is normally required over brand name products.

This formulary was last updated on August 1st, 2016

General in Prescribing

Physician Use Only

A restriction placed on certain medications that requires a physician’s approval for both initiation and renewal. If the detainee arrives with medications, a Mid-Level Provider may continue until an IHSC physician reviews the order and makes a judgment regarding the appropriateness of continuing the detainee on medications in this category.

Physician Initiation Only

A restriction placed on certain medications and requires a physician’s approval for initiation. A Mid-Level Provider may continue this medication without obtaining the physician’s approval. If the detainee arrives with medications, a Mid-Level Provider may continue until an IHSC physician reviews the order and makes a judgment regarding the appropriateness of continuing the detainee on medications in this category.

Newly added formulary items are designated by the red typeface.

Table of Contents

Formulary	3
Dental Products	32
Approved Over-the-Counter	33
Category Listing	35
Medication Guides	46

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Abacavir	Ziagen	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[9/2015 version]
Abacavir/ Lamivudine	Epzicom	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[9/2015 version]
Abacavir/ Lamivudine/ Zidovudine	Trizivir	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[9/2015 version]
Acetaminophen	Tylenol	Miscellaneous Analgesics and Antipyretics	Suppositories need to be refrigerated.		RN Use
Acetaminophen / Aspirin/ Caffeine	Excedrin	Nonsteroidal Anti-inflammatory Agents			
Acetaminophen and Codeine	Tylenol No. 3	Opiate Agonist	PA/NP: Requires a prescription countersigned by physician/dentist unless MLP privileged to prescribe independently. Keep in locked cabinet. Immediate release and non-enteric coated are to be crushed prior to administration.	Pill Line	
		Miscellaneous Analgesics and Antipyretics			
		Opiate Agonist	Useful for patient allergic to codeine although cross allergenicity potential may exist.		
Acetaminophen and Hydrocodone	Vicodin	Miscellaneous Analgesics and Antipyretics	Physician/Dentist Use Only- Only Physician/Dentist can order (both initiation and renewal). Keep in locked cabinet. PA/NP: Requires a prescription countersigned by physician/dentist.	Pill Line	
Acetaminophen and Oxycodone	Percocet	Opiate Agonists	PA/NP: Requires a prescription countersigned by physician/dentist unless MLP privileged to prescribe independently. Immediate-release and non-enteric coated tablets are to be crushed prior to administration.	Pill Line	[3/2015 version]
		Miscellaneous Analgesics and Antipyretics			
Acetazolamide	Diamox	Carbonic Anhydrase Inhibitors	Not 1st line therapy -reserved for treatment resistant glaucoma		
Acetic Acid Otic		EENT Anti-Infectives, Miscellaneous			

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Acclidinium	Tudorza	Antimuscarinics/Antispasmodics	Not 1st line therapy; 2nd line treatment for COPD. Restricted to patients who cannot tolerate long-acting beta-agonists.		
Acyclovir	Zovirax	Nucleosides and Nucleotides	Topical not approved.		
Adapalene	Differin	Miscellaneous Skin and Mucous Membrane Agents	"Pediatric Use Only"		
Adefovir	Hepsera	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Albendazole	Albenza	Anthelmintics			
Albuterol	<u>Ventolin</u> Proventil Proair HFA	Sympathomimetic (Adrenergic) Agents	Ventolin has a counter, and it is in a foil pack with a 2 month expiration date after opening it. Recommended for regular users. ER tablet not approved. The Pro-Air has no counter, but it doesn't have the foil pack or 2 month expiration. Recommended for occasional users.		
Alcohol, Isopropyl	Rubbing Alcohol	Skin & Mucous Membrane Agent, Anti-infectives-Miscellaneous	For in clinic use only. For external use only.		
Alendronate	Fosamax	Miscellaneous Therapeutic Agents	Medication should be taken 30 minutes before the first food of the day. Stay upright for at least 30 minutes after taken medication.		[2013 version]
Allopurinol	Zyloprim	Uricosuric Agents			
Aluminum Acetate Topical	Burow's Solution	Miscellaneous Skin and Mucous Membrane Agents	For external use only.		
Aluminum Acetate and Acetic Acid Otic	Domeboro Otic	EENT Anti-Infectives, Miscellaneous			
Aluminum Hydroxide and Magnesium Trisilicate	Gaviscon	Antacid and Adsorbents	Used for gastric reflux only.		
Aluminum Hydroxide/Magnesium Hydroxide/Simethicone	Mylanta, Maalox	Antacids and Adsorbents	See also Simethicone.		RN Use

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Amantadine	Symmetrel	Antivirals – Adamantanes			
Amiodarone	Pacerone	Antiarrhythmic Agent Class III			[2008 version]
Amitriptyline	Elavil	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be reordered/renewed by Mid-Levels. MLPs may initiate/renew to treat neuropathic pain only.	Pill Line	
Amlodipine	Norvasc	Calcium Channel Blocking Agents			
Ammonia Spirit, Aromatic	Ammonia, Aromatic Spirits	Anorexigenic Agents and Respiratory and Cerebral Stimulants	For in clinic use only. For external use only.		
Ammonium lactate	Lac-Hydrin	Basic Lotions and Liniments	For severe xerosis/ichthyosis.		
Amoxicillin	Amoxil	Penicillins			
Amoxicillin and Potassium Clavulanate	Augmentin	Penicillins	875mg/125mg tablets are only available via ScripCare as of 8/1/2015		
Ampicillin, Injectable	Omnipen-N	Penicillins	Physician Initiation Only.		
Amprenavir	Agenerase	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Antipyrine and Benzocaine	Auralgan	Local Anesthetics (EENT)	For external use only.		
Apixaban	Eliquis	Anticoagulants	May not use for valve replacement. Consider continuity of care if medication not available in patient's country of origin. Physician Initiation Only.	Pill Line	
Aripiprazole	Abilify	Atypical Antipsychotics	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2011 version]
Ascorbic Acid	Vitamin C	Vitamin C			
Aspirin	Ecotrin, Chewable Aspirin	Nonsteroidal Anti-inflammatory Agents	All formulations are approved.		RN Use
Atazanavir	Reyataz	Antiretroviral Agents	Physician Initiation Only.	Pill Line	

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Atazanavir/ Cobicistat	Evotaz	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Atenolol	Tenormin	B-Adrenergic Blocking Agents			
Atorvastatin	Lipitor	HMG-CoA Reductase Inhibitors			
Atovaquone	Mepron	Antiprotozoal	Not available via VA Prime Vendor. May obtain from contracted Mail Order Pharmacy. Clinic use only	Pill Line	
Atropine Ophthalmic	Atropisol (Ophthalmic)	Mydriatics	Injection not approved.		
Azathioprine	Imuran	Immunosuppressive agents			
Azithromycin	Zithromax	Macrolides			
B vitamins, vitamin C with folic acid	Nephrocaps Capsules	Vitamins	Use for renal failure patients.		
Bacitracin	Baciguent	Antibacterials (Skin and Mucous Membrane)			RN Use
Baclofen	Lioresal	Skeletal Muscle Relaxants			
Barium Sulfate		Roentgenography	Diagnostic agent for computed tomography or x-ray examinations		
Benzocaine	Orabase-B and Toothache Gel	Local Anesthetics (EENT) Dental Agents Antipruritics and Local Anesthetics			
Benzonatate	Tessalon	Antitussives	Limited to five day therapy.		
Benzoyl Peroxide	Desquam-X	Keratolytic Agent	For external use only.		
Benztropine Mesylate	Cogentin	Antiparkinsonian Agents		Pill Line	
Bethanechol	Urecholine	Parasympathomimetic (Cholinergic) Agent			
Bisacodyl	Dulcolax	Cathartics and Laxatives			RN Use
Bismuth Subsalicylate	Pepto-Bismol	Antidiarrhea Agents			RN Use
Borate/Boric Acid/H2O/NaCl	Collyrium for Fresh Eyes Eye Wash	EENT Anti-Infectives, Miscellaneous	Eye irrigation for in clinic use only – do not dispense to patients.		
Brimonidine Tartrate	Alphagan P	A-Adrenergic Agonists (EENT)			
Bromocriptine	Parlodel	Dopamine Agonist			
Budesonide/ Formoterol	Symbicort	Corticosteroid β -Adrenergic Agonist			[2010 version]

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Bupivacaine Hydrochloride with Epinephrine	Marcaine	Local Anesthetics			
Bupropion	Wellbutrin	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels. Not authorized for smoking cessation. XL form is a once daily formulation and NOT equivalent to the SR formulation for twice daily dosing. Must crush immediate release formulation	Pill Line	[2014 version]
Buspirone	BuSpar	Miscellaneous Anxiolytics, Sedatives and Hypnotics	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	
Butorphanol	Stadol	Opiate Partial Agonists	Physician Use Only. Keep in locked cabinet. PA/NP: Requires a prescription countersigned by physician. Nasal spray formulation is not approved.	Pill Line	
Cabergoline	Cabergoline	Dopamine Agonist	For hyperprolactinemia		
Calamine	Calamine Lotion	Miscellaneous Skin and Mucous Membrane Agents			RN Use
Calcipotriene	Dovonex	Miscellaneous Skin and Mucous Membrane Agents	Use after Failure to "Very High Potency Steroids." Physician Initiation Only.		
Calcium Acetate	Phos-Lo	Replacement Preparations	Restricted to use in renal dialysis patients.		
Calcium Carbonate	Titralac	Replacement Preparations			
Calcium Carbonate with Vitamin D	Os-Cal 500 + D	Replacement Preparations			
Calcium Polycarbophil	Fiber-Tabs, Fibercon	Cathartics and Laxatives			
Camphor/menthol	Vaporub	Topical Skin Product	"Pediatric Use Only"		
Capreomycin		Antituberculosis	Physician Initiation Only. The second-line regimen for MDR/XDR TB	Pill Line	

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Captopril	Capoten	Renin-Angiotensin-Aldosterone System Inhibitors			
Carbamazepine	Tegretol	Miscellaneous Anticonvulsants		Pill Line	[2014 version]
Carbamide Peroxide	Debrox Otic	EENT Anti-Infectives, Miscellaneous			
Carbidopa and Levodopa	Sinemet	Antiparkinsonian Agents	Medication should be taken 1 hour before or 2 hours after meals.		
Carvedilol	Coreg	B-Adrenergic Blocking Agents	For NYHA Class III or IV heart failure.		
Cefazolin	Kefzol	Cephalosporins	Physician Initiation Only. Not available via VA Prime Vendor. May obtain from contracted Mail Order Pharmacy.		
Cefdinir	Omnicef (brand name discontinued)	Cephalosporins	Medication can be reconstituted with 1.0% lidocaine to reduce pain at injection site.		
Ceftriaxone	Rocephin	Cephalosporins			
Cephalexin	Keflex	Cephalosporins			
Cetirizine	Zyrtec	Second Generation Antihistamines			RN Use
Charcoal, Activated	Actidose	Antacids and Adsorbents			
Chlorhexidine Gluconate	Peridex	Mouthwashes	If the product containing alcohol is used, it must be used in clinic or given via pill line. If the alcohol-free product is used, it can be given self-carry (KOP). Topical liquid formulation (4% Scrub) is approved for clinic use.	Pill Line	
Chloroquine Phosphate	Aralen	Antimalarials			
Chlorpheniramine Maleate	Chlor-Trimeton	First Generation Antihistamines			RN Use
Chlorpromazine Hydrochloride	Thorazine	Antipsychotic Agents	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	
Chlorthalidone		Thiazide-like Diuretics			
Cinacalcet	Sensipar	Miscellaneous Therapeutic Agents	Dialysis Patient Use Only.		

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Ciprofloxacin Hydrochloride	Cipro	Quinolones	Ophthalmic and Otic formulation not approved. Physician/Psychiatrist Initiation Only-		[2016 version]
Citalopram	Celexa	Antidepressants	Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[4/2014 version]
Clarithromycin	Biaxin	Macrolides			
Clindamycin	Cleocin	Miscellaneous Antibiotics	Topical not approved.		
Clobetasol	Clobex	Anti-inflammatory Agents (Skin and Mucous Membrane)	Not recommended for application to face or groin.		
Clonazepam	Klonopin	Benzodiazepines	Physician/Psychiatrist Use Only-Only Physician/Psychiatrist can order (both initiation and renewal). Keep in locked cabinet. PA/NP: Requires a prescription countersigned by physician/psychiatrist.	Pill Line	[2013 version]
Clonidine Hydrochloride	Catapres	Hypotensive Agents – Central A-Agonists	30 days or less; opioid withdrawal; Tourette syndrome; clozapine induced hypersalivation; not for blood pressure management.		
Clopidogrel Bisulfate	Plavix	Platelet-Aggregation Inhibitors	Use in aspirin intolerance or failure as antiplatelet alternative.		[7/2015 version]
Clotrimazole	Lotrimin	Antifungals (Skin and Mucous Membrane)			RN Use
Colchicine	Colcrys	Nonsteroidal Anti-inflammatory Agents			[2011 version]
Collagenase	Santyl	Miscellaneous Skin and Mucous Membrane Agents	Nurse application during dressing changes to avoid over-use and waste. Should not be used with Silver Sulfadiazine dressings	Pill Line	
Crotamiton	Eurax	Scabicides and Pediculicides	For external use only.		
Cyanocobalamin	Vitamin B-12	Vitamin B complex	IM or deep SC are preferred routes of administration.		
Cyclobenzaprine	Flexeril	Skeletal Muscle Relaxants	Recommend Pill Line Only.		
Cyclopentolate	Cyclogyl	Mydriatics	Diagnostic ophthalmic aid		

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Cycloserine	Seromycin	Antituberculosis	Physician Initiation Only. Not first line for MDR/XDR TB. Should be administered with pyridoxine daily to mitigate neurotoxic effect. Not available via VA Prime Vendor		
Cyclosporine	Gengraf, Neoral	Immunosuppressive agents	Ophthalmic preparation not approved.		
Cyproheptadine		First Generation Antihistamines, Derivative,			
Dapsone	Dapsone	Miscellaneous Antimycobacterials	Physician Initiation Only.		
Darunavir	Prezista	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Darunavir/ Cobicistat	Prezcobix	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Delavirdine	Rescriptor	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Desipramine	Norpramin	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2014 version]
Dexamethasone	Maxidex	Anti-inflammatory Agents (EENT)	All formulations are approved.		
Dextrose 5% in normal saline	D5NS	Replacement Preparations			
Dextrose Instant	Insta-Glucose, Glucose Gel, Glucose Tabs	Caloric Agents	Gel or tablets can be given either KOP or PL per provider's discretion.		RN Use
Dextrose in sterile water	D5W	Replacement Preparations			
Diazepam	Valium	Oral Benzodiazepines	Physician Use Only-Only Physician can order (both initiation and renewal). Keep in locked cabinet. Only MD and DDS can prescribe oral diazepam.	Pill Line	
		Injectable Benzodiazepines	NP/PA: Can use IV form for seizures in children and adults on an emergency bases, but MD must countersign a prescription ASAP.		

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Dibucaine	Nupercainal	Antipruritics and Local Anesthetics			
Diclofenac ER	Voltaren XR	Nonsteroidal Anti-inflammatory Agents			[5/2016 version]
Dicloxacillin	Dynapen	Penicillins	Every effort should be made to avoid the suspension in children since it has a rather offensive taste and is difficult for children to swallow.		
Dicyclomine Hydrochloride	Bentyl	Antimuscarinics/Antispasmodics			
Didanosine	Videx	Antiretroviral Agents	Physician Initiation Only. Medication must be taken on an empty stomach.	Pill Line	[2011 version]
Dietary Supplement, Oral	Ensure, Resource, Boost	Nutritional Supplements	Physician/Dentist Initiation Only. Indicated for broken jaw or other temporary dental issue that limits proper nutritional intake, hunger strike, wasting syndrome, malabsorption, and malnutrition. Pregnancy, HIV infection without wasting, older age, and minor weight loss are usually not indications for nutritional/dietary supplements. For such situations or others not named, a NF request should be submitted to the Medical Director. Special diets should generally be utilized to provide additional calories if necessary. MUST CONSUME AT PILL LINE.	Pill Line	
Digoxin	Lanoxin	Cardiac Drugs	Oral Tablets Only		
Diltiazem	Cardizem	Calcium Channel Blocking Agents			
Diphenhydramine Hydrochloride	Benadryl	First Generation Antihistamines			RN Use
Diphtheria and Tetanus Toxoid (DT)	Tenivac	Toxoids	According to CDC guidelines.		
Diphtheria, Tetanus Toxoid, Acellular Pertussis Vaccine (TDap, DPT)	Adacel, Boostrix, Daptacel, Infanrix	Toxoids	According to CDC guidelines.		

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Divalproex Sodium	Depakote	Miscellaneous Anticonvulsants	There are currently two oral formulations of divalproex sodium available. The first agent on the market (1983) was an enteric coated tablet (Divalproex-EC), which results in a delayed-release pharmacokinetic profile and requires multiple daily doses. In 2002, a sustained release formulation (Divalproex ER), allowing once daily administration, was approved	Pill Line	[2/2016 version]
Docusate Sodium	Colace	Cathartics and Laxatives			RN Use
Dolutegravir	Tivicay	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Dolutegravir/ Abacavir/ Lamivudine	Triumeq	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[4/2016 version]
Dorzolamide Hydrochloride	Trusopt	Carbonic Anhydrase Inhibitors		x	
Dorzolamide Hydrochloride/ Timolol	Cosopt	Carbonic Anhydrase Inhibitors EENT Preparations - B-Adrenergic Blocking Agents			
Doxazosin	Cardura	A-Adrenergic Blocking Agents			
Doxepin	Sinequan	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2007 version]
Doxycycline	Vibramycin	Tetracyclines			
Drospirenone - Ethinyl Estradiol	Gianvi	Contraceptives			
Duloxetine	Cymbalta	Serotonin/NE Reuptake Inhibitor	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2014 version]
Efavirenz	Sustiva	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Efavirenz, Emtricitabine, Tenofovir	Atripla	Antiretroviral Agents	Physician Initiation Only.	Pill Line	

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Electrolyte Solution	Pedialyte	Replacement Preparations	Note: The use of this product should be limited to 24 hours in infants and children. After 24 hours this rehydration formula can cause diarrhea worsening gastroenteritis.		RN Use
Elvitegravir/ Cobicistat/ Emtricitabine/ Tenofovir	Stribild	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Emtricitabine	Emtriva	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Emtricitabine, Tenofovir	Truvada	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[2013 version]
Emtricitabine, Ralpivirine, Tenofovir	Complera	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Enalapril	Vasotec	Renin-Angiotensin-Aldosterone System Inhibitors			
Enfuvirtide	Fuzeon	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Enoxaparin	Lovenox	Anticoagulants			
Entecavir	Baraclude	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Epinephrine	Adrenaline	Sympathomimetic (Adrenergic) Agents			RN Use
Epoetin Alfa	Epogen, Procrit	Hematopoietic Agents	Physician Initiation Only Must be enrolled in the ESA APPRISE.	Pill Line	[2012 version]
Ergotamine and Caffeine	Cafergot	Sympatholytic (Adrenergic Blocking) Agents			
Erythromycin and Sulfisoxazole	Pediazole	Macrolides Sulfonamides			
Erythromycin Ethylsuccinate	E.E.S.	Macrolides			
Erythromycin Stearate	Erythrocin	Macrolides	NP/PA: Pneumonia, sinusitis, NSU, adult streptococcal pharyngitis, cellulitis, folliculitis, hordeolum and otitis media.		
Erythromycin, Ophthalmic	Ilotycin	EENT Anti-infectives			
Erythromycin Topical Gel 2%	Erygel	Antibacterials (Skin and Mucous Membrane)			

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Escitalopram	Lexapro	Antidepressants	Physician initiation only	Pill Line	
Estradiol Cypionate	Depo-Estradiol	Estrogens			
Estradiol	Delestrogen	Estrogens	Estradiol is preferred over Estrogen conjugated (Premarin) *Conversion (PO) Estradiol vs Premarin 2mg 1.8mg 4mg 2.7mg 6mg 3.75mg 8mg 5mg Use serum estradiol to adjust accordingly		
Ethambutol	Myambutol	Antimycobacterials	Presumptive tuberculosis requires physician review within 30 days of initiation	Pill Line	
Ethionamide	Trecator	Antimycobacterials	Physician Initiation Only.	Pill Line	
Etravirine	Intelence	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Famciclovir	Famvir	Nucleosides and Nucleotides	Physician Initiation Only to HIV Patients.		
Fenofibrate	Lofibra	Fibric Acid Derivatives			
Ferrous Sulfate	Fer-In-Sol	Iron Preparations	Note: When prescribing in children be sure to advise caregivers to keep this medication out of reach of children. Iron overdose is a common cause of death.		
Filgrastim	Neupogen	Hematopoietic Agents	Physician Initiation Only. If patient's weight is greater than or equal to 75kg, then use 480mcg dose. Restricted to Physician Initiation Only or secondard to Infectious Disease.	Pill Line	
Finasteride	Proscar	5 Alpha-Reductase Inhibitor			
Fluconazole	Diflucan	Antifungals			
Fludrocortisone		Adrenals	Restricted for treatment of Addison Disease or Salt-losing adrenogential syndrome (or congenital adrenal hyperplasia)		

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Fluocinonide	Lidex	Anti-inflammatory Agents (Skin and Mucous Membrane)	Medication should never be used for longer than a two-week period of time without a discontinuation prior to re-starting. This and other fluorinated compounds should never be used on the face unless instructed by a dermatologist.		
Fluoxetine	Prozac	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2014 version]
Fluphenazine	Prolixin	Antipsychotic Agents	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	
Fluphenazine Decanoate	Prolixin Decanoate	Antipsychotic Agents	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	
Fluticasone Propionate Oral Inhaler	Flovent	Adrenals			
Folic Acid	Folvite	Vitamin B Complex			
Fosamprenavir	Lexiva	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Furosemide	Lasix	Diuretics			
Gabapentin	Neurontin	Miscellaneous Anticonvulsants	Restricted to use as anticonvulsant and for pain control.	Pill Line	[9/2015 version]
Gemfibrozil	Lopid	Fibric Acid Derivatives	Contraindication to use with simvastatin.		
Gentian Violet		Antifungals, Miscellaneous Skin and Mucous Membrane	Not available via VA Prime Vendor. May obtain from contracted Mail Order Pharmacy. Clinic use only.		
Gentamicin Sulfate	Garamycin	Aminoglycoside EENT Anti-infectives	Injectable-Physician Initiation Only.		

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Glipizide	Glucotrol	Antidiabetic Agents	The immediate release tablets are administered 30 minutes before a meal and divided doses for dosing equal or greater than 15 mg/day.		
Glucagon, Human Recombinant	Glucagen Hypokit	Glycogenolytic Agents			
Glyburide	Micronase, Diabeta	Antidiabetic Agents			
Glycerin suppository		Cathartics and Laxatives			RN Use
Griseofulvin Suspension	Grifulvin	Antifungals	Pediatric Use Only Suspension Only		
Guaifenesin	Robitussin	Expectorants	Recommend alcohol-free formulation.		RN Use
Haloperidol	Haldol	Antipsychotic Agents	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	
Haloperidol Decanoate	Haloperidol Decanoate	Antipsychotic Agents	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels. The maximum volume per injection site should not exceed 3ml. Not to be administered IV.	Pill Line	
Heparin Sodium	Heparin Lock Flush Solution	Anticoagulants	Physician Initiation Only.		
Hepatitis A Vaccine	Havrix	Vaccines			
Hepatitis B Vaccine	Engerix	Vaccines			
Hydralazine	Apresoline	Direct Vasodilators			
Hydrochlorothiazide	Microzide	Diuretics			
Hydrocortisone Suppository	Anucort-HC, Anusol-HC	Anti-inflammatory Agents (Skin and Mucous Membrane)			
Hydrocortisone, Topical	Cortizone	Anti-inflammatory Agents (Skin and Mucous Membrane)	Hydrocortisone 1% for RN Use		RN Use
Hydrogen Peroxide		Mouthwashes and Gargles	Main clinic and dental clinic use.		RN Use
Hydroxychloroquine	Plaquenil	Antimalarials			
Hydroxyurea	Hydrea	Antineoplastic Agents			

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Hydroxyzine	Atarax; Vistaril	Miscellaneous Anxiolytics, Sedatives, and Hypnotics	Atarax is the Hydrochloride salt. Vistaril is the Pamoate salt. Pill Line Only for anxiety use. For other indications such as pruritus, may be given as KOP.	Pill Line	
Ibuprofen	Motrin	Nonsteroidal Anti-inflammatory Agents			RN Use [2007 version]
Imipramine	Tofranil	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2007 version]
Immune Globulin	Gamimune	Serums	Physician Initiation Only. MUST BE REFRIGERATED		
Indinavir	Crixivan	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Indomethacin	Indocin	Nonsteroidal Anti-inflammatory Agents			[5/2016 version]
Influenza Virus Vaccine	Fluzone	Vaccines			
Insulin	<u>Humulin,</u> Novolin, Lantus Regular, NPH, 70/30, Glargine	Insulins	<u>Human Insulin Only.</u> Insulin Lispro, insulin aspartate not approved.	Pill Line	
Ipratropium	Atrovent	Antimuscarinics/ Antispasmodics			
Ipratropium/ Albuterol oral inhaler	Combivent Respimat	Antimuscarinics/Antispasmodics Sympathomimetic Agents		Pill Line	
Isoniazid	INH	Antimycobacterials	Presumptive tuberculosis requires physician review within 30 days of initiation	Pill Line	
Isosorbide Dinitrate	Isordil	Vasodilating Agents – Nitrates and Nitrites	NP/PA: Angina pectoris in adults.		
Isosorbide Mononitrate	ISMO, Monoket, Imdur	Vasodilating Agents – Nitrates and Nitrites			
Ivermectin	Stomectol	Anthelmintics			
Ketoconazole	Nizoral	Antifungal			[2014 version]
Ketorolac injection	Toradol	Nonsteroidal Anti-inflammatory Agents	Do not use for greater than five continuous days. Oral formulation not approved.		[2013 version]

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Ketorolac ophthalmic	Acular, Acular LS	EENT Nonsteroidal Antiinflammatory Agents	Restricted to use only after surgery.		
Ketotifen	Zaditor	Antiallergic Agents			
Labetalol	Trandate	B-Adrenergic Blocking Agents			
Lactated Ringers	Ringer's Lactate	Replacement Preparations			
Lactobacillus	Acidophilus	Antidiarrhea Agents			
Lactulose	Kristalose	Electrolytic, Caloric, and Water Balance			
Lamivudine	Epivir	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Lamotrigine	Lamictal	Anticonvulsants, Miscellaneous	Physician Initiation Only. Lamotrigine should be discontinued at the first sign of rash, unless the rash is clearly not drug-related.	Pill Line	[2013 version]
Latanoprost	Xalatan	Prostaglandin Analogs			
Leflunomide	Arava	Disease-Modifying Antirheumatic Agents	2nd line treatment for RA		
Leucovorin Calcium	Leucovorin	Miscellaneous Therapeutic Agents	Concomitant use with pyrimethamine to prevent hematologic toxicity.		
Levetiracetam	Keppra	Anticonvulsants, Miscellaneous		Pill Line	[2013 version]
Levofloxacin Oral Solution	Levaquin	Quinolones	"Pediatric Use Only"		[2016 version]
Levonorgestrel	Plan B One-Step	Contraceptives			
Levonorgestrel IUD	Liletta only	Contraceptives	If facility providers are uncomfortable with implanting IUD's, most OB-GYN offices will implant IUD's and bill only for their service if the patient/facility is able to provide them. Note: Liletta only (Mirena System and Skyla not approved). Recommend STI testing and counseling prior to implantation.		
Levonorgestrel/Ethinyl estradiol	Aviane, Levora, Trivora	Contraceptives			
Levothyroxine	Synthroid	Thyroid Agents			

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Lidocaine and Epinephrine	Xylocaine with Epinephrine	Local Anesthetics			
Lidocaine Hydrochloride	Xylocaine	Cardiac Drugs Local Anesthetics Antipruritics and Anesthetics			
Lisinopril	Zestril, Prinivil	Renin-Angiotensin-Aldosterone System Inhibitors			
Lisinopril/ Hydro-chlorothiazide	Prinzide, Zestoretic	Renin-Angiotensin-Aldosterone System Inhibitors Diuretics			
Lithium Carbonate	Eskalith	Antimanic Agents	Physician/Psychiatrist Initiation Only.	Pill Line	
Loperamide Hydrochloride	Imodium	Antidiarrhea Agents			RN Use
Lopinavir/ Ritonavir	Kaletra	Antiretroviral Agents	Physician Initiation Only. Use oral solution within two months if patient stores at room temperature. Oral solution contains alcohol.	Pill Line	<u>[2013 version]</u>
Loratadine	Claritin	Second Generation Antihistamines			
Lorazepam	Ativan	Benzodiazepines	Lorazepam injectable needs to be refrigerated. Physician/Psychiatrist Use Only. PA/NP: Requires a prescription countersigned by physician/dentist unless MLP privileged to prescribe independently. Keep in locked cabinet.	Pill Line	
Losartan	Cozaar	Angiotensin II Receptor Antagonists	Intolerance to ACE inhibitors and/or failure to control Rennin-Angiotensin-Aldosterone System.		
Losartan/ Hydrochlorothiazide	Hyzaar	Angiotensin II Receptor Antagonists	Intolerance to ACE inhibitors and/or failure to control Rennin-Angiotensin-Aldosterone System.		

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Lurasidone	Latuda	Atypical Antipsychotics	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2013 version]
Magnesium Citrate		Cathartics and Laxatives	Restricted to bowel prep only	Pill Line	
Magnesium Hydroxide	MOM, Milk of Magnesia	Cathartics and Laxatives			RN Use
Magnesium Oxide	Mag-Ox	Antacids and adsorbents			
Magnesium Sulfate	Magnesium Sulfate	Miscellaneous Anticonvulsants	Injectable-Physician Initiation Only.		
Maraviroc	Selzentry	Antiretroviral Agents	Physician Initiation Only	Pill Line	[3/2014 version]
Measles, Mumps, and Rubella Vaccine	MMR	Vaccines	According to CDC guidelines.		
Measles, Mumps, Rubella, and Varicella Vaccine	MMR	Vaccines	According to CDC guidelines.		
Meclizine	Antivert	Antiemetics			
Medroxy-progesterone	Provera, Depo-Provera, Depo-Subq	Progestins	All formulations are approved.		
Megestrol Acetate	Megace	Antineoplastic Agents	Appetite stimulation for patients with HIV or cachexia.		
Meloxicam	Mobic	Nonsteroidal Anti-inflammatory Agents			[5/2016 version]
Meningococcal Conjugate Vaccine	Menactra, Menveo	Vaccines	According to CDC guidelines.		
Mepivacaine	Carbocaine	Local Anesthetics			
Mercaptopurine		Antineoplastic Agents	Physician Initiation Only. Recommend genetic testing for safety		
Mesalamine	Asacol, Lialda	Anti-inflammatory Agents (GI Drugs)			
Metformin	Glucophage	Miscellaneous Antidiabetic Agents			
Methimazole	Tapazole	Antithyroid Agents	Pregnancy Risk: D		
Methocarbamol	Robaxin	Skeletal Muscle Relaxants			
Methotrexate	Rhematrex	Antineoplastic Agents	Pregnancy Risk:X	Pill Line	

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Methyldopa	Aldomet	Hypotensive Agents – Central A-Agonists	Preferred alternative for the treatment of hypertension in pregnancy.		
Methylprednisolone	Solu-Medrol, Medrol	Adrenals			
Metoclopramide Hydrochloride	Reglan	Gastrointestinal Agents – Prokinetic Agents			[2011 version]
Metoprolol	Lopressor	B-Adrenergic Blocking Agents	All tablet formulations are approved.		
Metronidazole	Flagyl and Metrogel	Miscellaneous Anti-infective Miscellaneous Local Anti-Infectives			
Miconazole	Micatin, Monistat 7	Antifungals (Skin and Mucous Membrane)			
Minoxidil	Loniten	Direct Vasodilators			
Mirtazapine	Remeron	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2014 version]
Mometasone Furoate	Nasonex	Anti-inflammatory Agents (EENT)			
Montelukast	Singulair	Leukotriene Modifiers			
Morphine Sulfate	Duramorph	Opiate Agonists	Physician Use Only-Only Physician can order (both initiation and renewal). Keep in locked cabinet. Immediate Release, non-enteric coated are to be crushed prior to administration.	Pill Line	[2014 version]
Moxifloxacin HCl	Avelox	Quinolones			[2016 version]
Multivitamin	One-A-Day	Multivitamin Preparation	Dialysis, pregnant, malnutrition, and wasting syndrome patients only.		
Multivitamin, Children's	Chewable Multivitamin	Multivitamin Preparation	For pediatric use.		
Multivitamin/Mineral/Folic Acid	Prenatal Vitamin	Multivitamin Preparation			
Mupirocin	Bactroban	Antibacterials (Skin and Mucous Membrane)	MRSA and Impetigo Use Only.		

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Mycophenolate	CellCept, Myfortic	Immunosuppressive Agents			[2013 version]
Naloxone	Narcan	Opiate Antagonists			
Naproxen	Naprosyn	Nonsteroidal Anti-inflammatory Agents			[2016 version]
Nelfinavir	Viracept	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Neomycin/ Polymyxin B Sulfate/ Dexamethasone Ophthalmic drop	Maxitrol	EENT Anti-infectives			
Neomycin/ Polymyxin B/ Hydrocortisone	Cortisporin Otic	EENT Anti-infectives			
Nevirapine	Viramune	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[2014 version]
Niacin	Niacin	Vitamin B Complex			
Nifedipine	Procardia XL	Calcium Channel Blocking Agents	Immediate Release not approved.		
Nitrofurantoin	Macrochantin	Urinary Anti-Infectives			
Nitroglycerin	Nitrostat, Transderm-Nitro	Vasodilating Agents - Nitrates and Nitrites	Nitrostat-keep the tablets in the original container.		
Norethindrone	Nora-BE	Contraceptives			
Norethindrone/ Ethinyl Estradiol	Loestrin, Microgestin	Contraceptives			
Norgestimate- Ethinyl Estradiol	MonoNessa, Trinessa	Contraceptives			
Normal Saline Nose Drops	Ocean Spray	EENT Preparations - Miscellaneous			RN Use
Nystatin	Mycostatin	Antifungals			
Ofloxacin Ophthalmic Drop	Ocuflox	EENT Anti-infectives			
Ofloxacin Otic	Floxin	EENT Anti-infectives			
Olanzapine	Zyprexa	Atypical Antipsychotics	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels. IM is NF: Use for Special Operation Only.	Pill Line	[2013 version]
Omeprazole	Prilosec	Gastrointestinal Agents - Antiulcer Agents and Acid Suppressants			[2016 version]
Ondanestron	Zofran	5-HT3 Receptor Antagonists			

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Oseltamivir	Tamiflu	Antivirals - Neuraminidase Inhibitor	Therapy preferably initiated within 48 hours of symptom onset.	Pill Line	
Oxacillin	Bactocill	Penicillins	Physician Initiation Only.		
Oxcarbazepine	Trileptal	Miscellaneous Anticonvulsants		Pill Line	[2011 version]
Oxybutynin	Ditropan	Genitourinary Smooth Muscle Relaxant			
Oxymetazoline	Afrin	Vasoconstrictors (EENT)	Clinic use only for severe nosebleed.		
Para-Aminosalicylic Acid	Paser	Antituberculosis	Physician Initiation Only. Not available via VA Prime Vendor. May obtain from contracted Mail Order Pharmacy. Clinic use only.	Pill Line	
Papillomavirus (HPV Vaccines)	Gardasil, Gardasil 9	Vaccines	"Pediatric Use Only." Gardasil 9-Not available via VA Prime Vendor. May obtain from contracted Mail Order Pharmacy.		
Paroxetine	Paxil	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2014 version]
PEG (Polyethylene Glycol 3350 + Electrolytes Solution)	Golytely	Cathartics and Laxatives			
Penicillin G Benzathine	Bicillin Long-Acting	Penicillins	Medication must be refrigerated.		
Penicillin G Procaine	Penicillin G Procaine	Penicillins	Medication must be refrigerated.		
Penicillin V Potassium	Penicillin VK	Penicillins			
Pentamidine Isethionate	NebuPent, Pentam 300	Miscellaneous Antiprotozoals			
Permethrin	Acticin, Nix	Scabicides and Pediculicides	RN Use 1% Permethrin Per RN Guidelines.		RN Use
Perphenazine	Trilafon	Antipsychotic Agents	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Petrolatum	Vaseline	Emollients, Demulcents and Protectants			RN Use
Phenazopyridine	Pyridium	Antipruritics and Anesthetics			
Phenobarbital	Phenobarbital	Anticonvulsants, Barbiturates	Physician Use Only. PA/NP: Requires a prescription countersigned by physician/dentist unless MLP privileged to prescribe independently. Keep in locked cabinet.	Pill Line	
Phenylephrine	Anu-Med Suppository, oral tablets	Miscellaneous Skin and Mucous Membrane Agents	Suppositories and oral tablets only		RN Use
Phenylephrine/ Mineral Oil/ Petrolatum	Preparation H	Miscellaneous Skin and Mucous Membrane Agents	Ointment		
Phenytoin	Dilantin	Anticonvulsants, Hydantoins	Injectable-Physician Initiation Only.	Pill Line	<u>[2011 version]</u>
Phytonadione	Vitamin K	Vitamin K	Physician Initiation Only.		
Piperonyl Butoxide/Pyrethrins	RID	Scabicides and Pediculicides	For external use only.		RN Use
Pneumococcal Vaccine	Pneumovax 13 & 23	Vaccines	Only to be administered to patients meeting criteria per CDC guideline.		
Podofilox	Condylox	Skin and Mucous Membrane Agents	Clinic use only.	Pill Line	
Podophyllin	Podocon 25	Keratolytic Agent	For use in condyloma acuminata in adults-to be used in clinic only. Medication is not to be dispensed to patients. For external use only.	Pill Line	
Poliovirus Vaccine	Orimune	Vaccines	According to CDC guidelines.		
Polyethylene Glycol 3350	MiraLax	Cathartics and Laxatives			
Polymyxin B/ Neomycin/ Bacitracin	Neosporin Topical Ointment	EENT Anti-infectives			RN Use
Polymyxin B/ Neomycin/ Gramicidin Ophthalmic	Neosporin Ophthalmic Solution	EENT Anti-infectives			

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Polymyxin B/ Trimethoprim Ophthalmic	Polytrim	EENT Anti-infectives			
Potassium Chloride	Slow-K	Replacement Preparations			
Pravastatin	Pravachol	HMG CoA Reductase Inhibitors			
Prazosin	Minipress	A-Adrenergic Blocking Agents			
Prednisolone Ophthalmic	Pred Forte	Anti-inflammatory Agents (EENT)			
Prednisone	Deltasone	Adrenals	If oral steroids are to be used for greater than 5 days, they should be tapered and not abruptly stopped.		
Primaquine	Primaquine	Antimalarials	G6PD-deficient patients may be treated with lower doses over a longer period of time.		
Primidone	Mysoline	Anticonvulsants, Barbiturates		Pill Line	
Probenecid	Benemid	Uricosuric Agents			
Prochlorperazine	Compazine	Antiemetics			
Promethazine	Phenergan	Miscellaneous Anxiolytics, Sedatives, and Hypnotics			
Proparacaine Hydrochloride	Alcaine	Local Anesthetics (EENT)			
Propranolol Hydrochloride	Inderal	B-Adrenergic Blocking Agents			
Propylthiouracil	PTU	Antithyroid Agents			[2010 version]
Psyllium	Metamucil	Cathartics and Laxatives	Sugar free products only.		
Pyrazinamide	PZA	Antimycobacterials	Presumptive tuberculosis requires physician review within 30 days of initiation	Pill Line	
Pyridoxine	Vitamin B-6	Vitamin B Complex			
Pyrimethamine	Daraprim, Fansidar	Antimalarials			
Quinidine Sulfate	Quinidine Sulfate	Cardiac Drugs			
Quinine	Qulaquin	Antimalarials	When treating uncomplicated malaria medication should be given in combination with either tetracycline or doxycycline.		[2014 version]

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Raltegravir Potassium	Isentress	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Ranitidine Hydrochloride	Zantac	Gastrointestinal Agents - Antiulcer Agents and Acid Suppressants			
Rifampin	Rifadin	Antimycobacterials	Presumptive tuberculosis requires physician review within 30 days of initiation	Pill Line	
Rilpivirine	Edurant	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Risperidone	Risperdal	Atypical Antipsychotics	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	
Ritonavir	Norvir	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Rotavirus	Rotarix, Rota Teq	Vaccines	Live Vaccine		
Salicylic Acid		Keratolytic Agents	Clinic use only.	Pill Line	
Salmeterol	Serovent Diskus	Sympathomimetic (Adrenergic) Agents	Physician Initiation Only. Use after failure with steroid inhaler and current short acting B-agonist.		[4/2014 version]
Saquinavir	Invirase	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[12/2016 version]
Selenium Sulfide	Selsun	Miscellaneous Local Anti-Infectives	OTC version-RN Use Per RN Guidelines. For external use only.		RN Use
Sertraline Hydrochloride	Zoloft	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2012 version]
Sevelamer	Renagel	Ion-removing Agent	Tablets must be swallowed intact.		
Silver Nitrate Applicator		Anti-Infectives	Not available via VA Prime Vendor. May obtain from contracted Mail Order Pharmacy. Clinic use only.		
Silver Sulfadiazine	Silvadene	Miscellaneous Local Anti-Infectives			RN Use

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Simethicone	Mylicon	Antiflatulents	See also Maalox and Mylanta (aluminum hydroxide, magnesium hydroxide and simethicone).		
Simvastatin	Zocor	HMG CoA Reductase Inhibitors	Maximum recommended dose is 40mg. Contraindicated with protease inhibitors (HIV) and gemfibrozil. See pravastatin or atorvastatin for alternative.		
Sodium Chloride	Normal Saline	Replacement Preparations	RN: May administer only upon practitioners orders. The nasal sodium chloride is OTC.		
Sodium Chloride, Irrigation Solution	Normal Saline irrigation solution	Irrigating Solutions	RN: May use for wound irrigation, but can not dispense to patient.		
Sodium Phosphate, Rectal	Fleet Enema	Cathartics and Laxatives			
Sotalol	Betapace	B-Adrenergic Blocking Agents			
Spironolactone	Aldactone	Diuretics-potassium sparing			
Stavudine	Zerit	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[2011 version]
Streptomycin	Streptomycin	Antituberculosis	Physician Initiation Only.	Pill Line	
Sucralfate	Carafate	Gastrointestinal Agents - Antilucer Agents and Acid Suppressants	Restricted to diagnosis of duodenal ulcer as confirmed by UGI or endoscopy.		
Sulfacetamide	Sulamyd	EENT Anti-Infectives			
Sulfacetamide and Prednisolone Ophthalmic	Blephamide	EENT Anti-Infectives, Miscellaneous			
Sulfamethaxazole/Trimethoprim	Bactrim, Septra	Sulfonamides			
Sulfasalazine	Azulfidine	Sulfonamides			
Sulfur and Salicylic Acid	Fostex	Keratolytic Agents	For external use only.		
Sumatriptan Succinate	Imitrex	Antimigraine Agents - Selective Serotonin Agonists			
Tacrolimus	Prograf	Immunosuppressive Agents		Pill Line	[2014 version]

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Tamsulosin	Flomax	Sympatholytic (Adrenergic Blocking) Agents			
Tar Shampoo	Ionil T	Keratinoplastic Agents	OTC versions-RN Use Per RN Guidelines. For external use only.		RN Use
Tears, Artificial	Artificial Tears, many brands	EENT Preparations - Miscellaneous			RN Use
Telbivudine	Tyzeka	Antiretroviral Agents	Physician Initiation Only.	Pill Line	[2013 version]
Tenofovir Disoproxil Fumarate	Viread	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Terazosin	Hytrin	A-Adrenergic Blocking Agents			
Terbinafine	Lamisil	Antifungal Agent	Not to be used for onychomycosis. Use for tinea capitis or tinea pedis.		
Testosterone (Depo Injection)	Depo-Testosterone	Androgen	Depo Injectable Only. Physician Initiation Only.	Pill Line	
Tetanus Toxoid	TT	Toxoids	According to CDC guidelines.		
Tetanus Toxoid Fluid		Toxoids	Diagnostic agent used for anergy testing; fluid needs to be refrigerated.		
Tetanus and Diphtheria	Td	Toxoids	According to CDC guidelines.		
Tetracycline	Achromycin, Sumycin	Tetracyclines			
Tetrahydrozoline Ophthalmic	Visine	Vasoconstrictors (EENT)			
Theophylline	Theo-Dur	Respiratory Smooth Muscle Relaxants	Physician Initiation Only. Given the toxic side effects of theophylline and the frequency of blood monitoring, this drug should be considered a last resort drug when all other types of asthma medications have failed in children and adolescents.		
Thiamine	Vitamin B-1, Betalin S	Vitamin B Complex			
Thiothixene	Navane	Antipsychotic Agents	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Timolol Maleate	Timoptic	EENT Preparations - B-Adrenergic Blocking Agents			
Tipranavir	Aptivus	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Titanium Dioxide	Vanicream	Sunscreen Agents	Topical Cream		
Tizanidine	Zanaflex	Centrally Acting Skeletal Muscle Relaxants			
Tobramycin Ophthalmic	Tobrex	EENT Antibacterials			
Topiramate	Topamax	Anticonvulsant	Used for epilepsy as monotherapy or adjunctive therapy; migraine prophylaxis	Pill Line	[3/2014 version]
Tramadol	Ultram	Opiate Agonists	PA/NP: Requires a prescription countersigned by physician/dentist unless MLP privileged to prescribe independently. Only after documented NSAID failure or unless other NSAIDs are contraindicated. Keep in locked cabinet. Immediate release and non-enteric coated are to be crushed prior to administration.	Pill Line	
Trazodone	Desyrel	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2014 version]
Tretinoin Topical	Retin-A	Skin and Mucous Membrane Agents	Used for acne vulgaris only. Topical only.		
Triamcinolone Acetonide	Kenalog	Anti-Inflammatory Agents (Skin and Mucous Membranes)	In general topical corticosteroids should only be used on the involved areas of the skin and when treating chronic dermatitis should only be used when skin is inflamed.		
Triamcinolone Dental Paste	Kenalog in Orabase	Anti-Inflammatory Agents (Skin and Mucous Membranes)	See also Dental Agents 34:00		
Triamcinolone Hexacetonide	Aristospan	Adrenals			
Triamterene and Hydrochlorothiazide	Maxzide	Diuretics-potassium sparing			

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Hydro-chlorothiazide	Maxzide	Diuretics			
Trimethobenzamide Hydrochloride	Tigan	Antiemetics			
Trihexyphenidyl	Artane	Antiparkinsonian Agents		Pill Line	
Tropicamide	Mydracil	Mydriatics	For diagnostic use only.		
Tuberculin Purified Protein Derivative	Tubersol	Tuberculosis (Diagnostic)	Product must be refrigerated.		
Umeclidinium/Vilanterol	Anoro Ellipta	Anticholinergic/ LABA	Long Acting Anticholinergic for COPD.		[2013 version]
Ulipristal	Ella	Contraceptives			
Valsartan/Hydro-chlorothiazide	Diovan HCT	Angiotensin II Receptor Antagonists/Diuretic			
Valproic Acid		Anticonvulsant		Pill Line	[2016 version]
Vancomycin	Vancocin	Miscellaneous Antibiotics	Physician Initiation Only. ADD-Vantage Vials.		
Varicella Vaccine	Varivax	Vaccines	According to CDC guidelines.		
Venlafaxine	Effexor	Antidepressants	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	[2012 version]
Verapamil	Calan	Calcium Channel Blocking Agents	Injection-Physician Initiation Only.		
Vitamin A	Aquasol A	Vitamin A			
Vitamin A&D Ointment		Basic Ointments and protectants			RN Use
Vitamin D2 & D3	Ergocalciferol Cholecalciferol	Vitamin D			
Warfarin	Coumadin	Anticoagulants	Physician Initiation Only. See Anticoagulation Protocol.	Pill Line	[2011 version]
Zalcitabine	Hivid	Antiretroviral Agents	Physician Initiation Only.	Pill Line	
Zidovudine	Retrovir	Antiretroviral Agents	Physician Initiation Only. Zidovudine has been associated with hematologic toxicity.	Pill Line	
Zidovudine and Lamivudine	Combivir	Antiretroviral Agents	Physician Initiation Only. Zidovudine has been associated with hematologic toxicity.	Pill Line	

Generic Monographs

Generic	Trade Name	Therapeutic Class	Comments	Pill Line	RN Use
Zinc Oxide	Desitin	Emollient, Demulcents and Protectants			RN Use
Ziprasidone	Geodon	Atypical Antipsychotics	Physician/Psychiatrist Initiation Only- Physician/Psychiatrist can initiate and can be re-ordered/renewed by Mid-Levels.	Pill Line	

Dental Products

Generic	Trade Name	Indication	Price	Pill Line	Clinic Use Only
Acidulated Phosphate Fluoride (APF) 1.23%	Topex 60 Second APF Foam or Gel	Children, orthodontic, and xerostomia from medical tx.			
Articaine 4% with epinephrine	Septocaine	Local anesthetics.	\$17.93 per box		Yes
Biotene Mouthwash (alcohol free)	Biotene Mouthwash (alcohol free)	Treatment of xerostomia due to medical treatment such as chemotherapy, radiation therapy and salivary gland disorders. "Physician/Dentist Initiation Only".	\$3.27 per 8oz bottle		
Biotene Oral Balance Moisturizer	Biotene Oral Balance Moisturizer		\$4.18 per 1.5oz		
Biotene Toothpaste	Biotene Toothpaste		\$4.18 per 4.5oz tube		
Dexamethasone elixir 0.5 mg/ 5ml	Decadron	Treatment of steroid responsive disorders of the oral mucosa, including inflammatory and ulcerative lesions. "Physician/Dentist Initiation Only" 7 days Use Only.	\$19.66 per 240ml	Yes	
Denture Adhesive Cream	Fixodent				
Minocycline HCL 1mg syringes	Arestin	Locally administered antibiotic for use in scaling and root planning procedures for the reduction of pocket depth in patients with adult periodontitis.	\$479.00 one box of 12		Yes
Neutral Sodium Fluoride 2%	Topex Neutral Foam or Gel	Children, orthodontic, and xerostomia from medical tx.			
Penciclovir cream 1%	Denavir	Treatment of oral herpes simplex. "Physician/Dentist Initiation Only".	\$20.87 per 1.5gm		
Sodium Fluoride 1.1 %	PreviDent 5000	Xerostomia from medical treatment (i.e. Radiation tx).			
Sodium Fluoride 2.7% Propylaxis Paste (Fluoride Ion 1.23%)		Used for normal dental cleanings, polishing and plaque/ stain removal.	\$21.05 box of 200		Yes
Sodium Fluoride Varnish 5%	Duraphat, Sultan DuraShield	Prevention of carious lesions and tooth sensitivity.	\$18.22 per 10mL \$155.99 per box (200 units/box)		Yes
Sulfonated Phenolics and Sulfuric Acid	Debacterol	Not available from VA Prime Vendor.			Yes

Approved Over-The-Counter Items
For Nurse Use

Generic	Trade Name	Therapeutic Class	Comments
Acetaminophen	Tylenol	Miscellaneous Analgesics and Antipyretics	Suppositories need to be refrigerated.
Aluminum Hydroxide/ Magnesium Hydroxide/ Simethicone	Mylanta, Maalox	Antacids and Adsorbents	See also Simethicone.
Bacitracin		Antibacterials (Skin and Mucous Membrane)	
Bisacodyl	Dulcolax	Cathartics and Laxatives	
Bismuth Subsalicylate	Pepto-Bismol	Antidiarrhea Agents	
Calamine	Calamine Lotion	Miscellaneous Skin and Mucous Membrane Agents	
Cetirizine	Zyrtec	Second Generation Antihistamines	
Chlorpheniramine Maleate	Chlor-Trimeton	First Generation Antihistamines	
Clotrimazole	Lotrimin	Antifungals (Skin and Mucous Membrane)	
Diphenhydramine Hydrochloride	Benadryl	First Generation Antihistamines	
Docusate Sodium	Colace	Cathartics and Laxatives	
Electrolyte Solution	Pedialyte	Replacement Preparations	For Pediatric/Children Use Only. Note: The use of this product should be limited to 24 hours in infants and children. After 24 hours, this rehydration formula can cause diarrhea worsening gastroenteritis.
Glycerin suppository		Cathartics and Laxatives	
Guaifenesin	Robitussin	Expectorants	
Hydrocortisone, Topical	Hydrotex	Anti-inflammatory Agents (Skin and Mucous Membrane)	
Hydrogen Peroxide		Mouthwashes and Gargles	Main clinic and dental clinic use.
Ibuprofen	Motrin	Nonsteroidal Anti-inflammatory Agents	
Loperamide Hydrochloride	Imodium	Antidiarrhea Agents	
Magnesium Hydroxide	MOM, Milk of Magnesia	Cathartics and Laxatives	
Normal Saline Nose Drops	Ocean Spray	EENT Preparations - Miscellaneous	
Permethrin	Acticin, Nix	Scabicides and Pediculicides	RN Use 1% Permethrin Per RN Guidelines.
Petrolatum	Vaseline	Emollients, Demulcents and Protectants	

Approved Over-The-Counter Items
For Nurse Use

Generic	Trade Name	Therapeutic Class	Comments
Phenylephrine suppository	Anu-Med	Miscellaneous Skin and Mucous Membrane Agents	
Piperonyl Butoxide/Pyrethrins	RID	Scabicides and Pediculicides	For external use only.
Polymyxin B/ Neomycin/ Bacitracin	Neosporin Topical Ointment	ENNT Anti-infectives	
Selenium Sulfide	Selsun	Miscellaneous Local Anti-Infectives	RN Use 1% Selenium Sulfide.
Simethicone	Mylicone	Antiflatulents	See also Maalox and Mylanta.
Tar Shampoo	Ionil T	Keratinoplastic Agents	OTC versions-RN Use Per RN Guidelines. For external use only.
Tears, Artificial	Artificial Tears, many brands	EENT Preparations - Miscellaneous	The previous entry with methylcellulose is not available from McKesson.
Tetrahydrozoline Ophthalmic	Visine	Vasoconstrictors (EENT)	

Category Listing

	Therapeutic Class	Generic
04:04.00	First Generation Antihistamines	Chlorpheniramine Maleate
04:04.00	First Generation Antihistamines	Diphenhydramine Hydrochloride
04:04.92	First Generation Antihistamines, Derivative,	Cyproheptadine
04:08.00	Second Generation Antihistamines	Cetirizine
04:08.00	Second Generation Antihistamines	Loratadine
08:08.00	Anthelmintics	Albendazole
08:08.00	Anthelmintics	Ivermectin
08:12.02	Aminoglycoside	Gentamicin Sulfate
08:12.02	Aminoglycoside	Streptomycin
08:12.06	Cephalosporins	Cefazolin
08:12.06	Cephalosporins	Cefdinir
08:12.06	Cephalosporins	Ceftriaxone
08:12.06	Cephalosporins	Cephalexin
08:12.12	Macrolides	Azithromycin
08:12.12	Macrolides	Clarithromycin
08:12.12	Macrolides	Erythromycin and Sulfisoxazole
08:12.12	Macrolides	Erythromycin Ethylsuccinate
08:12.12	Macrolides	Erythromycin Stearate
08:12.16	Penicillins	Amoxicillin
08:12.16	Penicillins	Amoxicillin and Potassium Clavulanate
08:12.16	Penicillins	Ampicillin, Injectable
08:12.16	Penicillins	Dicloxacillin
08:12.16	Penicillins	Oxacillin
08:12.16	Penicillins	Penicillin G Benzathine
08:12.16	Penicillins	Penicillin G Procaine
08:12.16	Penicillins	Penicillin V Potassium
08:12.18	Quinolones	Ciprofloxacin Hydrochloride
08:12.18	Quinolones	Levofloxacin Oral Solution
08:12.18	Quinolones	Moxifloxacin
08:12.20	Sulfonamides	Erythromycin and Sulfisoxazole
08:12.20	Sulfonamides	Co-Trimoxazole
08:12.20	Sulfonamides	Sulfasalazine
08:12.24	Tetracyclines	Doxycycline
08:12.24	Tetracyclines	Tetracycline
08:12.28	Miscellaneous Antibiotics	Clindamycin
08:12.28	Miscellaneous Antibiotics	Vancomycin
08:14.00	Antifungals	Fluconazole
08:14.00	Antifungals	Nystatin
08:14.04	Antifungal Agent	Terbinafine
08:14.08	Antifungal	Ketoconazole
08:14.92	Antifungals	Griseofulvin Suspension
08:16.04	Antituberculosis	Capreomycin
08:16.04	Antituberculosis	Cycloserine
08:16.04	Antimycobacterials	Ethambutol

Category Listing

	Therapeutic Class	Generic
08:16.04	Antimycobacterials	Ethionamide
08:16.04	Antimycobacterials	Isoniazid
08:16.04	Antituberculosis	Para-Aminosalicylic Acid
08:16.04	Antimycobacterials	Pyrazinamide
08:16.04	Antimycobacterials	Rifampin
08:16.92	Miscellaneous Antimycobacterials	Dapsone
08:18.04	Antivirals – Adamantanes	Amantadine
08:18.08	Antiretroviral Agents	Abacavir
08:18.08	Antiretroviral Agents	Abacavir/ Lamivudine
08:18.08	Antiretroviral Agents	Abacavir/ Lamivudine/ Zidovudine
08:18.08	Antiretroviral Agents	Adefovir
08:18.08	Antiretroviral Agents	Amprenavir
08:18.08	Antiretroviral Agents	Atazanavir
08:18.08	Antiretroviral Agents	Atazanavir/ Cobicistat
08:18.08	Antiretroviral Agents	Darunavir
08:18.08	Antiretroviral Agents	Darunavir/ Cobicistat
08:18.08	Antiretroviral Agents	Delavirdine
08:18.08	Antiretroviral Agents	Didanosine
08:18.08	Antiretroviral Agents	Dolutegravir
08:18.08	Antiretroviral Agents	Dolutegravir/ Abacavir/ Lamivudine
08:18.08	Antiretroviral Agents	Efavirenz
08:18.08	Antiretroviral Agents	Efavirenz, Emtricitabine, Tenofovir
08:18.08	Antiretroviral Agents	Elvitegravir/ Cobicistat/ Emtricitabine/ Tenofovir
08:18.08	Antiretroviral Agents	Emtricitabine
08:18.08	Antiretroviral Agents	Emtricitabine, Tenofovir
08:18.08	Antiretroviral Agents	Emtricitabine, Rilpivirine, Tenofovir
08:18.08	Antiretroviral Agents	Enfuvirtide
08:18.08	Antiretroviral Agents	Entecavir
08:18.08	Antiretroviral Agents	Etravirine
08:18.08	Antiretroviral Agents	Fosamprenavir
08:18.08	Antiretroviral Agents	Indinavir
08:18.08	Antiretroviral Agents	Lamivudine
08:18.08	Antiretroviral Agents	Lopinavir/ Ritonavir
08:18.08	Antiretroviral Agents	Maraviroc
08:18.08	Antiretroviral Agents	Nelfinavir
08:18.08	Antiretroviral Agents	Nevirapine
08:18.08	Antiretroviral Agents	Raltegravir Potassium
08:18.08	Antiretroviral Agents	Rilpivirine
08:18.08	Antiretroviral Agents	Ritonavir
08:18.08	Antiretroviral Agents	Saquinavir
08:18.08	Antiretroviral Agents	Stavudine
08:18.08	Antiretroviral Agents	Telbivudine
08:18.08	Antiretroviral Agents	Tenofovir Disoproxil Fumarate
08:18.08	Antiretroviral Agents	Tipranavir

Category Listing

	Therapeutic Class	Generic
08:18.08	Antiretroviral Agents	Zalcitabine
08:18.08	Antiretroviral Agents	Zidovudine
08:18.08	Antiretroviral Agents	Zidovudine and Lamivudine
08:18.28	Antivirals - Neuraminidase Inhibitor	Oseltamivir
08:18.32	Nucleosides and Nucleotides	Acyclovir
08:18.32	Nucleosides and Nucleotides	Famciclovir
08:30.08	Antimalarials	Chloroquine Phosphate
08:30.08	Antimalarials	Hydroxychloroquine
08:30.08	Antimalarials	Primaquine
08:30.08	Antimalarials	Pyrimethamine
08:30.08	Antimalarials	Quinine
08:30.92	Antiprotozoal	Atovaquone
08:30.92	Miscellaneous Anti-infective	Metronidazole
08:30.92	Miscellaneous Antiprotozoals	Pentamidine Isethionate
08:36.00	Urinary Anti-Infectives	Nitrofurantoin
10:00.00	Antineoplastic Agents	Hydroxyurea
10:00.00	Antineoplastic Agents	Megestrol Acetate
10:00.00	Antineoplastic Agents	Mercaptopurine
10:00.00	Antineoplastic Agents	Methotrexate
12:04.00	Parasympathomimetic (Cholinergic) Agent	Bethanechol
12:08.04	Antiparkinsonian Agents	Benzotropine Mesylate
12:08.04	Antiparkinsonian Agents	Carbidopa and Levodopa
12:08.04	Antiparkinsonian Agents	Trihexyphenidyl
12:08.08	Antimuscarinics/Antispasmodics	Acclidinium
12:08.08	Antimuscarinics/ Antispasmodics	Dicyclomine Hydrochloride
12:08.08	Anticholinergic/ LABA	Umeclidinium/ Vilanterol
12:08.08	Antimuscarinics/ Antispasmodics	Ipratropium
12:08.08	Antimuscarinics/Antispasmodics	Ipratropium/ Albuterol oral inhaler
12:12.00	Sympathomimetic (Adrenergic) Agents	Albuterol
12:12.00	Sympathomimetic (Adrenergic) Agents	Epinephrine
12:12.00	Sympathomimetic Agents	Ipratropium/ Albuterol oral inhaler
12:12.00	Sympathomimetic (Adrenergic) Agents	Salmeterol
12:16.00	Sympatholytic (Adrenergic Blocking) Agents	Ergotamine and Caffeine
12:16.04	Selective Alpha-1-Adrenergic Blocking Agent	Tamsulosin
12:20.00	Skeletal Muscle Relaxants	Baclofen
12:20.00	Skeletal Muscle Relaxants	Cyclobenzaprine
12:20.00	Skeletal Muscle Relaxants	Methocarbamol
12:20.04	Centrally Acting Skeletal Muscle Relaxants	Tizanidine
20:04.04	Iron Preparations	Ferrous Sulfate
20:12.04	Anticoagulants	Apixaban
20:12.04	Anticoagulants	Enoxaparin
20:12.04	Anticoagulants	Heparin Sodium
20:12.04	Anticoagulants	Warfarin
20:12.18	Platelet-Aggregation Inhibitors	Clopidogrel Bisulfate

Category Listing

	Therapeutic Class	Generic
20:16.00	Hematopoietic Agents	Epoetin Alfa
20:16.00	Hematopoietic Agents	Filgrastim
24:04.00	Cardiac Drugs	Digoxin
24:04.00	Cardiac Drugs	Lidocaine Hydrochloride
24:04.00	Cardiac Drugs	Quinidine Sulfate
24:04.04	Antiarrhythmic Agent Class III	Amiodarone
24:06.06	Fibric Acid Derivatives	Fenofibrate
24:06.06	Fibric Acid Derivatives	Gemfibrozil
24:06.08	HMG-CoA Reductase Inhibitors	Atorvastatin
24:06.08	HMG CoA Reductase Inhibitors	Pravastatin
24:06.08	HMG CoA Reductase Inhibitors	Simvastatin
24:08.16	Hypotensive Agents – Central A-Agonists	Clonidine Hydrochloride
24:08.16	Hypotensive Agents – Central A-Agonists	Methyldopa
24:08.20	Direct Vasodilators	Minoxidil
24:08.20	Direct Vasodilators	Hydralazine
24:08.44	Angiotensin II Receptor	Valsartan/Hydro-chlorothiazide
24:12.08	Vasodilating Agents – Nitrates and Nitrites	Isosorbide Dinitrate
24:12.08	Vasodilating Agents – Nitrates and Nitrites	Isosorbide Mononitrate
24:12.08	Vasodilating Agents - Nitrates and Nitrites	Nitroglycerin
24:20.00	A-Adrenergic Blocking Agents	Doxazosin
24:20.00	A-Adrenergic Blocking Agents	Prazosin
24:20.00	A-Adrenergic Blocking Agents	Terazosin
24:24.00	B-Adrenergic Blocking Agents	Atenolol
24:24.00	B-Adrenergic Blocking Agents	Carvedilol
24:24.00	B-Adrenergic Blocking Agents	Labetalol
24:24.00	B-Adrenergic Blocking Agents	Metoprolol Tartrate
24:24.00	B-Adrenergic Blocking Agents	Propranolol Hydrochloride
24:24.00	B-Adrenergic Blocking Agents	Sotalol
24:28.00	Calcium Channel Blocking Agents	Amlodipine
24:28.00	Calcium Channel Blocking Agents	Diltiazem
24:28.00	Calcium Channel Blocking Agents	Nifedipine
24:28.00	Calcium Channel Blocking Agents	Verapamil
24:32.04	Renin-Angiotensin-Aldosterone System Inhibitors	Captopril
24:32.04	Renin-Angiotensin-Aldosterone System Inhibitors	Enalapril
24:32.04	Renin-Angiotensin-Aldosterone System Inhibitors	Lisinopril
24:32.04	Renin-Angiotensin-Aldosterone System Inhibitors	Lisinopril/ Hydro-chlorothiazide
24:32.08	Angiotensin II Receptor Antagonists	Losartan
24:32.08	Angiotensin II Receptor Antagonists	Losartan/ Hydrochlorothiazide
28:08.04	Nonsteroidal Anti-inflammatory Agents	Acetaminophen / Aspirin/ Caffeine
28:08.04	Nonsteroidal Anti-inflammatory Agents	Aspirin
28:08.04	Nonsteroidal Anti-inflammatory Agents	Colchicine
28:08.04	Nonsteroidal Anti-inflammatory Agents	Diclofenac ER

Category Listing

	Therapeutic Class	Generic
28:08.04	Nonsteroidal Anti-inflammatory Agents	Ibuprofen
28:08.04	Nonsteroidal Anti-inflammatory Agents	Indomethacin
28:08.04	Nonsteroidal Anti-inflammatory Agents	Ketorolac injection
28:08.04	Nonsteroidal Anti-inflammatory Agents	Meloxicam
28:08.04	Nonsteroidal Anti-inflammatory Agents	Naproxen
28:08.08	Opiate Agonist	Acetaminophen and Codeine
28:08.08	Opiate Agonist	Acetaminophen and hydrocodone
28:08.08	Opiate Agonist	Acetaminophen and Oxycodone
28:08.08	Opiate Agonists	Morphine Sulfate
28:08.08	Opiate Agonists	Tramadol
28:08.12	Opiate Partial Agonists	Butorphanol
28:08.92	Miscellaneous Analgesics and Antipyretics	Acetaminophen
28:08.92	Miscellaneous Analgesics and Antipyretics	Acetaminophen and Codeine
28:08.92	Miscellaneous Analgesics and Antipyretics	Acetaminophen and hydrocodone
28:08.92	Miscellaneous Analgesics and Antipyretics	Acetaminophen and Oxycodone
28:10.00	Opiate Antagonists	Naloxone
28:12.04	Anticonvulsants, Barbiturates	Phenobarbital
28:12.04	Anticonvulsants, Barbiturates	Primidone
28:12.08	Oral Benzodiazepines	Diazepam
28:12.12	Anticonvulsants, Hydantoins	Phenytoin
28:12.92	Miscellaneous Anticonvulsants	Carbamazepine
28:12.92	Miscellaneous Anticonvulsants	Divalproex Sodium
28:12.92	Miscellaneous Anticonvulsants	Gabapentin
28:12.92	Anticonvulsants, Miscellaneous	Lamotrigine
28:12.92	Anticonvulsants, Miscellaneous	Levetiracetam
28:12.92	Miscellaneous Anticonvulsants	Magnesium Sulfate
28:12.92	Miscellaneous Anticonvulsants	Oxcarbazepine
28:12.92	Anticonvulsant	Topiramate
28:12.92	Anticonvulsant	Valproic Acid
28:16.04	Antidepressants	Amitriptyline
28:16.04	Antidepressants	Bupropion
28:16.04	Antidepressants	Citalopram
28:16.04	Antidepressants	Desipramine
28:16.04	Antidepressants	Doxepin
28:16.04	Serotonin/NE Reuptake Inhibitor	Duloxetine
28:16.04	Antidepressants	Escitalopram
28:16.04	Antidepressants	Fluoxetine
28:16.04	Antidepressants	Imipramine
28:16.04	Antidepressants	Mirtazapine
28:16.04	Antidepressants	Paroxetine
28:16.04	Antidepressants	Sertraline Hydrochloride
28:16.04	Antidepressants	Trazodone
28:16.04	Antidepressants	Venlafaxine
28:16.08	Atypical Antipsychotics	Lurasidone

Category Listing

	Therapeutic Class	Generic
28:16.08	Atypical Antipsychotics	Aripiprazole
28:16.08	Atypical Antipsychotics	Olanzapine
28:16.08	Atypical Antipsychotics	Risperidone
28:16.08	Atypical Antipsychotics	Ziprasidone
28:16.08.08	Antipsychotic Agents	Haloperidol
28:16.08.08	Antipsychotic Agents	Haloperidol Decanoate
28:16.08.24	Antipsychotic Agents	Chlorpromazine Hydrochloride
28:16.08.24	Antipsychotic Agents	Fluphenazine
28:16.08.24	Antipsychotic Agents	Fluphenazine Decanoate
28:16.08.24	Antipsychotic Agents	Perphenazine
28:16.08.32	Antipsychotic Agents	Thiothixene
28:20.00	Anorexigenic Agents and Respiratory and Cerebral Stimulants	Ammonia Spirit, Aromatic
28:24.08	Benzodiazepines	Clonazepam
28:24.08	Injectable Benzodiazepines	Diazepam
28:24.08	Benzodiazepines	Lorazepam
28:24.92	Miscellaneous Anxiolytics, Sedatives and Hypnotics	Buspirone
28:24.92	Miscellaneous Anxiolytics, Sedatives, and Hypnotics	Hydroxyzine
28:24.92	Miscellaneous Anxiolytics, Sedatives, and Hypnotics	Promethazine
28:28.00	Antimanic Agents	Lithium Carbonate
28:32.28	Antimigraine Agents - Selective Serotonin Agonists	Sumatriptan Succinate
28:36.20	Dopamine Agonist	Bromocriptine
28:36.20	Dopamine Agonist	Cabergoline
34:00.00	Dental Agents	Benzocaine
36:68.00	Roentgenography	Barium Sulfate
36:84.00	Tuberculosis (Diagnostic)	Tuberculin Purified Protein Derivative
40:10.00	Electrolytic, Caloric, and Water Balance	Lactulose
40:12.00	Replacement Preparations	Calcium Acetate
40:12.00	Replacement Preparations	Calcium Carbonate
40:12.00	Replacement Preparations	Calcium Carbonate with Vitamin D
40:12.00	Replacement Preparations	Dextrose 5% in normal saline
40:12.00	Replacement Preparations	Dextrose in sterile water
40:12.00	Replacement Preparations	Electrolyte Solution
40:12.00	Replacement Preparations	Lactated Ringers
40:12.00	Replacement Preparations	Potassium Chloride
40:12.00	Replacement Preparations	Sodium Chloride
40:18.19	Ion-removing Agent	Sevelamer
40:20.00	Caloric Agents	Dextrose Instant Gel
40:20.00	Nutritional Supplements	Dietary Supplement, Oral
40:28.00	Diuretics	Furosemide
40:28.00	Diuretics	Hydrochlorothiazide
40:28.00	Diuretics	Lisinopril/ Hydro-chlorothiazide

Category Listing

	Therapeutic Class	Generic
40:28.00	Diuretics	Triamterene and Hydrochlorothiazide
40:28.16	Diuretics-potassium sparing	Spironolactone
40:28.16	Diuretics-potassium sparing	Triamterene and Hydrochlorothiazide
40:28.20	Diuretic	Valsartan/Hydrochlorothiazide
40:28.24	Thiazide-like Diuretics	Chlorthalidone
40:36.00	Irrigating Solutions	Sodium Chloride, Irrigation Solution
40:40.00	Uricosuric Agents	Allopurinol
40:40.00	Uricosuric Agents	Probenecid
48:08.00	Antitussives	Benzonatate
48:10.08	Corticosteroids	Budesonide/Formoterol
48:10.24	Leukotriene Modifiers	Montelukast
48:12.00	β-Adrenergic Agonist	Budesonide/Formoterol
48:16.00	Expectorants	Guaifenesin
52:02.00	Antiallergic Agents	Ketotifen
52:04.04	EENT Anti-infectives	Erythromycin, Ophthalmic
52:04.04	EENT Anti-infectives	Gentamicin Sulfate
52:04.04	EENT Anti-infectives	Neomycin/ Polymyxin B Sulfate/ Dexamethasone Ophthalmic drop
52:04.04	EENT Anti-infectives	Neomycin/ Polymyxin B/ Hydrocortisone
52:04.04	EENT Anti-infectives	Ofloxacin Ophthalmic drop
52:04.04	EENT Anti-infectives	Ofloxacin Otic
52:04.04	EENT Anti-infectives	Polymyxin B/ Neomycin/ Bacitracin
52:04.04	EENT Anti-infectives	Polymyxin B/ Neomycin/ Gramicidin Ophthalmic
52:04.04	EENT Anti-infectives	Polymyxin B/ Trimethoprim Ophthalmic
52:04.04	EENT Anti-Infectives	Sulfacetamide
52:04.04	EENT Antibacterials	Tobramycin ophthalmic
52:04.92	EENT Anti-Infectives, Miscellaneous	Acetic Acid Otic
52:04.92	EENT Anti-Infectives, Miscellaneous	Aluminum Acetate and Acetic Acid Otic
52:04.92	EENT Anti-Infectives, Miscellaneous	Borate/Boric Acid/H ₂ O/NaCl
52:04.92	EENT Anti-Infectives, Miscellaneous	Carbamide Peroxide
52:04.92	Anti-Infective; topical cauterizing agent	Silver Nitrate Applicator
52:04.92	EENT Anti-Infectives, Miscellaneous	Sulfacetamide and Prednisolone Ophthalmic
52:08.00	Anti-inflammatory Agents (EENT)	Dexamethasone, Ophthalmic
52:08.00	Anti-inflammatory Agents (EENT)	Mometasone Furoate
52:08.00	Anti-inflammatory Agents (EENT)	Prednisolone Ophthalmic
52:08.20	EENT Nonsteroidal Antiinflammatory Agents	Ketorolac Ophthalmic
52:16.00	Local Anesthetics (EENT)	Antipyrine and Benzocaine
52:16.00	Local Anesthetics (EENT)	Benzocaine
52:16.00	Local Anesthetics (EENT)	Proparacaine Hydrochloride
52:24.00	Mydriatics	Atropine Ophthalmic
52:24.00	Mydriatics	Cyclopentolate
52:24.00	Mydriatics	Tropicamide
52:28.00	Mouthwashes and Gargles	Chlorhexidine Gluconate
52:28.00	Mouthwashes and Gargles	Hydrogen Peroxide
52:32.00	Vasoconstrictors (EENT)	Oxymetazoline

Category Listing

	Therapeutic Class	Generic
52:32.00	Vasoconstrictors (EENT)	Tetrahydrozoline Ophthalmic
52:40.04	A-Adrenergic Agonists (EENT)	Brimonidine Tartrate
52:40.08	EENT Preparations - B-Adrenergic Blocking Agents	Dorzolamide Hydrochloride/ Timolol
52:40.08	EENT Preparations - B-Adrenergic Blocking Agents	Timolol Maleate
52:40.12	Carbonic Anhydrase Inhibitors	Acetazolamide
52:40.12	Carbonic Anhydrase Inhibitors	Dorzolamide Hydrochloride
52:40.12	Carbonic Anhydrase Inhibitors	Dorzolamide Hydrochloride/ Timolol
52:40.28	Prostaglandin Analogs	Latanoprost
52:92.00	EENT Preparations - Miscellaneous	Normal Saline Nose Drops
52:92.00	EENT Preparations - Miscellaneous	Tears, Artificial
56:04.00	Antacids and Adsorbents	Aluminum Hydroxide and Magnesium Trisilicate
56:04.00	Antacids and Adsorbents	Aluminum Hydroxide/ Magnesium Hydroxide/ Simethicone
56:04.00	Antacids and Adsorbents	Charcoal, Activated
56:04.00	Antacids and Adsorbents	Magnesium Oxide
56:08.00	Antidiarrhea Agents	Bismuth Subsalicylate
56:08.00	Antidiarrhea Agents	Lactobacillus
56:08.00	Antidiarrhea Agents	Loperamide Hydrochloride
56:10.00	Antiflatulents	Simethicone
56:12.00	Cathartics and Laxatives	Bisacodyl
56:12.00	Cathartics and Laxatives	Calcium Polycarbophil
56:12.00	Cathartics and Laxatives	Docusate Sodium
56:12.00	Cathartics and Laxatives	Glycerin suppository
56:12.00	Cathartics and Laxatives	Magnesium Citrate
56:12.00	Cathartics and Laxatives	Magnesium Hydroxide
56:12.00	Cathartics and Laxatives	PEG (Polyethylene Glyco) 3350 + Electrolyte Solution
56:12.00	Cathartics and Laxatives	Polyethylene Glycol 3350
56:12.00	Cathartics and Laxatives	Psyllium
56:12.00	Cathartics and Laxatives	Sodium Phosphate, Rectal
56:22.00	Antiemetics	Meclizine
56:22.00	Antiemetics	Prochlorperazine
56:22.00	Antiemetics	Trimethobenzamide Hydrochloride
56:22.20	5-HT3 Receptor Antagonists	Ondansetron
56:28.00	Gastrointestinal Agents - Antiulcer Agents and Acid Suppressants	Omeprazole
56:28.00	Gastrointestinal Agents - Antiulcer Agents and Acid Suppressants	Ranitidine Hydrochloride
56:28.00	Gastrointestinal Agents - Antiulcer Agents and Acid Suppressants	Sucralfate
56:32.00	Gastrointestinal Agents – Prokinetic Agents	Metoclopramide Hydrochloride
56:36.00	Anti-inflammatory Agents (GI Drugs)	Mesalamine
68:04.00	Adrenals	Fludrocortisone
68:04.00	Adrenals	Fluticasone Propionate Oral Inhaler

Category Listing

	Therapeutic Class	Generic
68:04.00	Adrenals	Methylprednisolone
68:04.00	Adrenals	Prednisone
68:04.00	Adrenals	Triamcinolone Hexacetonide
68:08.00	Androgen	Testosterone (Depo Injection)
68:12.00	Contraceptives	Drospirenone - Ethinyl Estradiol
68:12.00	Contraceptives	Levonorgestrel
68:12.00	Contraceptives	Levonorgestrel IUD
68:12.00	Contraceptives	Levonorgestrel/ Ethinyl estradiol
68:12.00	Contraceptives	Norethindrone
68:12.00	Contraceptives	Norethindrone/ Ethinyl Estradiol
68:12.00	Contraceptive	Norgestimate-Ethinyl Estradiol
68:12.00	Contraceptives	Ulipristal
68:16.04	Estrogens	Estradiol Cypionate
68:16.04	Estrogens	Estradiol
68:20.08	Insulins	Insulin
68:20.20	Antidiabetic Agents	Glipizide
68:20.20	Antidiabetic Agents	Glyburide
68:20.92	Miscellaneous Antidiabetic Agents	Metformin
68:22.12	Glycogenolytic Agents	Glucagon, Human Recombinant
68:32.00	Progestins	Medroxy-progesterone
68:36.04	Thyroid Agents	Levothyroxine
68:36.08	Antithyroid Agents	Methimazole
68:36.08	Antithyroid Agents	Propylthiouracil
72:00.00	Local Anesthetics	Bupivacaine Hydrochloride with Epinephrine
72:00.00	Local Anesthetics	Lidocaine and Epinephrine
72:00.00	Local Anesthetics	Lidocaine Hydrochloride
72:00.00	Local Anesthetics	Mepivacaine
80:04.00	Serums	Immune Globulin
80:08.00	Toxoids	Diphtheria and Tetanus Toxoid (DT)
80:08.00	Toxoids	Diphtheria, Tetanus Toxoid, Acellular Pertussis Vaccine (TDap, DPT)
80:08.00	Toxoids	Tetanus and Diphtheria
80:08.00	Toxoids	Tetanus Toxoid
80:08.00	Toxoids	Tetanus Toxoid Fluid
80:12.00	Vaccines	Hepatitis A Vaccine
80:12.00	Vaccines	Hepatitis B Vaccine
80:12.00	Vaccines	Influenza Virus Vaccine
80:12.00	Vaccines	Measles, Mumps, and Rubella Vaccine
80:12.00	Vaccines	Measles, Mumps, Rubella, and Varicella Vaccine
80:12.00	Vaccines	Meningococcal Conjugate Vaccine
80:12.00	Vaccines	Papillomavirus (HPV Vaccines)
80:12.00	Vaccines	Pneumococcal Vaccine
80:12.00	Vaccines	Poliovirus Vaccine
80:12.00	Vaccines	Rotavirus
80:12.00	Vaccines	Varicella Vaccine

Category Listing

	Therapeutic Class	Generic
84:04.04	Antibacterials (Skin and Mucous Membrane)	Bacitracin
84:04.04	Antibacterials (Skin and Mucous Membrane)	Erythromycin Topical Gel 2%
84:04.04	Antibacterials (Skin and Mucous Membrane)	Metronidazole
84:04.04	Antibacterials (Skin and Mucous Membrane)	Mupirocin
84:04.08	Antifungals (Skin and Mucous Membrane)	Clotrimazole
84:04.08	Antifungals, Miscellaneous Skin and Mucous Membrane	Gentian Violet
84:04.08	Antifungals (Skin and Mucous Membrane)	Miconazole
84:04.12	Scabicides and Pediculicides	Crotamiton
84:04.12	Scabicides and Pediculicides	Permethrin
84:04.12	Scabicides and Pediculicides	Piperonyl Butoxide/Pyrethrins
84:04.92	Miscellaneous Local Anti-Infectives	Alcohol, Isopropyl
84:04.92	Miscellaneous Local Anti-Infectives	Selenium Sulfide
84:04.92	Miscellaneous Local Anti-Infectives	Silver Sulfadiazine
84:06.00	Anti-inflammatory Agents (Skin and Mucous Membrane)	Clobetasol
84:06.00	Anti-inflammatory Agents (Skin and Mucous Membrane)	Fluocinonide
84:06.00	Anti-inflammatory Agents (Skin and Mucous Membrane)	Hydrocortisone Suppository
84:06.00	Anti-inflammatory Agents (Skin and Mucous Membrane)	Hydrocortisone, Topical
84:06.00	Anti-Inflammatory Agents (Skin and Mucous Membranes)	Triamcinolone Acetonide
84:06.00	Anti-Inflammatory Agents (Skin and Mucous Membranes)	Triamcinolone Dental Paste
84:08.00	Antipruritics and Local Anesthetics	Benzocaine
84:08.00	Antipruritics and Local Anesthetics	Dibucaine
84:08.00	Antipruritics and Anesthetics	Lidocaine Hydrochloride
84:08.00	Antipruritics and Anesthetics	Phenazopyridine
84:16.00	Cell Stimulants and Proliferants	Tretinoin Topical
84:24.00	Emollients, Demulcents and Protectants	Petrolatum
84:24.00	Emollient, Demulcents and Protectants	Zinc Oxide
84:24.04	Basic Lotions and Liniments	Ammonium lactate
84:24.04	Basic Lotions and Liniments	Camphor/menthol
84:24.12	Basic Ointments and protectants	Vitamin A&D Ointment
84:28.00	Keratolytic Agent	Benzoyl Peroxide
84:28.00	Keratolytic Agent	Podophyllin
84:28.00	Keratolytic Agents	Salicylic Acid
84:28.00	Keratolytic Agents	Sulfur and Salicylic Acid
84:32.00	Keratinoplastic Agents	Tar Shampoo
84:80.00	Sunscreen Agents	Titanium Dioxide
84:92.00	Miscellaneous Skin and Mucous Membrane Agents	Calamine
84:92.00	Miscellaneous Skin and Mucous Membrane Agents	Calcipotriene

Category Listing

	Therapeutic Class	Generic
84:92.00	Miscellaneous Skin and Mucous Membrane Agents	Collagenase
84:92.00	Miscellaneous Skin and Mucous Membrane Agents	Phenylephrine
84:92.00	Miscellaneous Skin and Mucous Membrane Agents	Phenylephrine/ Mineral Oil/ Petrolatum
84:92.00	Skin and Mucous Membrane Agents	Podofilox
84:92.00	Miscellaneous Skin and Mucous Membrane Agents	Adapalene
84:92.00	Miscellaneous Skin and Mucous Membrane Agents	Aluminum Acetate Topical
86:12.00	Genitourinary Smooth Muscle Relaxant	Oxybutynin
86:16.00	Respiratory Smooth Muscle Relaxants	Theophylline
88:00.00	Vitamins	B vitamins, vitamin C with folic acid
88:04.00	Vitamin A	Vitamin A
88:08.00	Vitamin B complex	Cyanocobalamin
88:08.00	Vitamin B Complex	Folic Acid
88:08.00	Vitamin B Complex	Niacin
88:08.00	Vitamin B Complex	Pyridoxine
88:08.00	Vitamin B Complex	Thiamine
88:12.00	Vitamin C	Ascorbic Acid
88:16.00	Vitamin D	Vitamin D2 & D3
88:24.00	Vitamin K	Phytonadione
88:28.00	Multivitamin Preparation	Multivitamin
88:28.00	Multivitamin Preparation	Multivitamin, Children's
88:28.00	Multivitamin Preparation	Multivitamin/ Mineral/Folic Acid
92:00.00	Miscellaneous Therapeutic Agents	Alendronate
92:00.00	Miscellaneous Therapeutic Agents	Cinacalcet
92:00.00	Miscellaneous Therapeutic Agents	Leucovorin Calcium
92:08.00	5 Alpha-Reductase Inhibitor	Finasteride
92:36.00	Disease-Modifying Antirheumatic Agents	Leflunomide
92:44.00	Immunosuppressive Agents	Azathioprine
92:44.00	Immunosuppressive agents	Cyclosporine
92:44.00	Immunosuppressive Agents	Mycophenolate
92:44.00	Immunosuppressive Agents	Tacrolimus

Abacavir	[2012 version]
Abacavir, lamivudine	[2012 version]
Abacavir, lamivudine, z	[2011 version]
Aldendronate	[2011 version]
Aripiprazole	[2011 version]
Bupropion	[2010 version]
Carbamazepine	[2013 version]
Ciprofloxacin	[2011 version]
Citalopram	[2011 version]
Clonazepam	[2010 version]
Clopidogrel	[2011 version]
Colchicine	[2011 version]
Didanosine	[2011 version]
Divalproex	[2013 version]
Doxepin	[2007 version]
Emtricitabine, tenofovir	[2012 version]
Fluoxetine	[2013 version]
Gabapentin	[2011 version]
Ibuprofen	[2007 version]
Indomethacin	[2008 version]
Ketorolac	[2013 version]
Lamotrigine	[2012 version]
Levetiracetam	[2011 version]
Lopinavir and ritonavir	[2013 version]
Metoclopramide	[2011 version]
Mirtazapine	[2012 version]
Morphine	[2010 version]
Moxifloxacin	[2012 version]
Mycofenolate	[2012 version]
Mycofenolate	[2012 version]
Naproxen	[2013 version]
Nevirapine	[2012 version]
Ofloxacin ophth	[2011 version]
Olanzapine	[2010 version]
Omeprazole	[2012 version]
Paroxetine	[2012 version]
Phenytoin	[2011 version]
Propylthiouracil	[2010 version]
Quetiapine	[2011 version]
Quinine	[2011 version]
Salmeterol	[2010 version]
Sertraline	[2012 version]
Stavudine	[2011 version]
Venlafaxine	[2012 version]

Venlafaxine XR	[2012 version]
Warfarin	[2011 version]

Summary of the FY17 Formulary Updates

Formulary Additions:

Generic name	Trade name	Therapeutic class	Comments
Acetic acid otic drops	Vosol	EENT Anti-infective, misc.	
Acclidinium Inhalation	Tuzorza	Antimuscarinic/antispasmodic	Not 1st line therapy, 2 nd line therapy for COPD. Restricted to patients who cannot tolerate long acting beta-agonists
Apixaban tablets	Eliquis	Anticoagulant	May not use for valve replacement. Consider continuity of care if medication not available in patients country of origin. Physician initiation only
Collagenase ointment	Santyl	Miscellaneous skin and mucous membrane agents	Nurse application during dressing changes to avoid over use and waste. Should not be used with silver sulfadiazine dressings
Cyproheptadine tablets	Periactin	First generation antihistamines, derivative	
Escitalopram tablets	Lexapro	Antidepressants	Physician initiation only
Fludrocortisone tablets	Florinef	Adrenals	Restricted for treatment of Addison Disease or salt losing adrenogenital syndrome (or congenital adrenal hyperplasia)
Levonorgestrel IUD	Liletta only	Contraceptives	If facility providers are uncomfortable with implanting IUDs, most OB-GYN offices will implant IUDs and bill only for their service if the patient/facility is able to provide them. Note: Liletta only (Mirena System and Skyla not approved). Recommend STI testing and counseling prior to implantation.
Levonorgestrel/Ethinyl estradiol tablets	Aviane, Levora, Trivora	contraceptives	
Magnesium citrate oral solution		Cathartics and laxatives	Restricted to bowel prep only, pill line only.
Mercaptopurine	Purinethol	Antineoplastic	Physician initiation only.

Summary of the FY17 Formulary Updates

			Recommend genetic testing for safety.
Norethindrone/ethinyl estradiol tablets	Loestrin, Microgestin	Contraceptive	
Phenylephrine/mineral oil/petrolatum ointment	Preparation H ointment	Miscellaneous skin and mucous membrane agents	
Polymixin B/trimethoprim ophthalmic drops	Polytrim	EENT anti-infective	

Formulary Deletions : none

Formulary Modifications:

Medication	Modification
Ipratropium/albuterol inhaler (Combivent Respimat)	Pill line only – for security reasons, due certain metal components after manufacture modifications made to product
Tacrolimus capsules	Pill line only – due to significant cost (very small patient population will be affected)
Metoprolol ER tablets	Remove CHF restriction
Estradiol valerate	Change to “estradiol” - IHSC Formulary lists conversion that is specifically for estradiol and not for estradiol valerate
Rifampin	Remove restriction of “physician initiation only” and added comment: “Presumptive tuberculosis requires physician review within 30 days of initiation”
Isoniazid	Remove restriction of “physician initiation only” and added comment: “Presumptive tuberculosis requires physician review within 30 days of initiation”
Pyrazinamide	Remove restriction of “physician initiation only” and added comment: “Presumptive tuberculosis requires physician review within 30 days of initiation”
Ethambutol	Remove restriction of “physician initiation only” and added comment: “Presumptive tuberculosis requires physician review within 30 days of initiation”
Medroxyprogesterone	All formulations approved

(b)(6);(b)(7)(C) RPh
 Captain, United States Public Health Service
 IHSC Chief Pharmacist
 ICE Health Service Corps
 (b)(6);(b)(7)(C) NE Loop 410, #1434
 San Antonio, TX 78217
 Office: 210-(b)(6);(b)(7)(C) Cell: 202-(b)(6);(b)(7)(C)
 (b)(6);(b)(7)(C) @ice.dhs.gov